

L Number	Hits	Search Text	DB	Time stamp
1	599	(half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 ((multi\$6) near4 (gradat\$5 or level\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:32
2	871	(half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:35
3	801	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) and imag\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:35
4	588	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) and imag\$5 and (discriminat\$4 or judg\$4 or determin\$4 or discern\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:38
5	127	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) and imag\$5 and (discriminat\$4 or judg\$4 or determin\$4 or discern\$4) and ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) near6 (conver\$5 or transform\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:53
6	94	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) and imag\$5 and (discriminat\$4 or judg\$4 or determin\$4 or discern\$4) and ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) near6 (conver\$5 or transform\$5) and @ad<20001211	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 16:11
7	72	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) and imag\$5 and (discriminat\$4 or judg\$4 or determin\$4 or discern\$4) and ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) near6 (conver\$5 or transform\$5) and @ad<20001211 and (imag\$5 near6 output\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 16:11

L Number	Hits	Search Text	DB	Time stamp
1	599	(half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 ((multi\$6) near4 (gradat\$5 or level\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:32
2	871	(half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:35
3	801	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) and imag\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:35
4	588	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) and imag\$5 and (discriminat\$4 or judg\$4 or determin\$4 or discern\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:38
5	127	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) and imag\$5 and (discriminat\$4 or judg\$4 or determin\$4 or discern\$4) and ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) near6 (conver\$5 or transform\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:53
6	94	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) and imag\$5 and (discriminat\$4 or judg\$4 or determin\$4 or discern\$4) and ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) near6 (multilevel or multi-level or multiple-level or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6) near4 (gradat\$5 or level\$5)))) near6 (conver\$5 or transform\$5) and @ad<20001211	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:54

L Number	Hits	Search Text	DB	Time stamp
1	271612	imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:04
2	132731	(imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:05
3	66205	((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:06
4	32171	((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:06
5	16730	(((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and (imag\$5 near6 digit\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:07
6	3926	(((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and (imag\$5 near6 digit\$5 near6 input\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:19
7	704	(((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and (imag\$5 near6 digit\$5 near6 input\$5)) and (half-ton\$5 or (half near4 ton\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:20
8	268	((((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and (imag\$5 near6 digit\$5 near6 input\$5)) and (half-ton\$5 or (half near4 ton\$5))) and gradat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:22
9	205	((((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and (imag\$5 near6 digit\$5 near6 input\$5)) and (half-ton\$5 or (half near4 ton\$5))) and gradat\$6) and @ad<20001211	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:22

L Number	Hits	Search Text	DB	Time stamp
1	271612	imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:32
2	132731	(imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:05
3	66205	((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:06
4	32171	((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:06
5	16730	(((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and (imag\$5 near6 digit\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:07
6	3926	(((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and (imag\$5 near6 digit\$5 near6 input\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:19
7	704	(((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and (imag\$5 near6 digit\$5 near6 input\$5)) and (half-ton\$5 or (half near4 ton\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:20
8	268	(((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and (imag\$5 near6 digit\$5 near6 input\$5)) and (half-ton\$5 or (half near4 ton\$5))) and gradat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:22
9	205	((((((imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5)) and (transform\$6 or conver\$6)) and driv\$5) and (imag\$5 near6 output\$5)) and (imag\$5 near6 digit\$5 near6 input\$5)) and (half-ton\$5 or (half near4 ton\$5))) and gradat\$6) and @ad<20001211	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:32
10	94	imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5) near6 (half-ton\$5 or (half near4 ton\$5)) near6 gradat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:47
11	94	imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5) near6 (half-ton\$5 or (half near4 ton\$5) or half-ton\$5) near6 gradat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:53
12	1	imag\$5 near6 (discriminat\$5 or determin\$5 or deci\$6 or differ\$5 or judg\$5 or discern\$5) near6 (half-ton\$5 or (half near4 ton\$5) or half-ton\$5) near6 ((multiple near6 gradat\$6) or multiple-gradat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:57

13	15	imag\$5 near6 (half-ton\$5 or (half near4 ton\$5) or half-ton\$5) near6 ((multiple near6 gradat\$6) or multiple-gradat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 14:59
14	17	imag\$5 near6 (half-ton\$5 or (half near4 ton\$5) or half-ton\$5) near6 ((multiple\$6 near6 gradat\$6) or multiple-gradat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:06
15	14	(imag\$5 near6 (half-ton\$5 or (half near4 ton\$5) or half-ton\$5) near6 ((multiple\$6 near6 gradat\$6) or multiple-gradat\$5)) and @ad<20001211	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 15:00